



---

157		

---

- 
- 
- 
- 




---

- 
- 

(SMPS)

(PFC)




GAS06520D	TO-263	GAS06520D

	$V_{RRM}$		650	V
	$V_{RSM}$		650	V
	$V_{DC}$		650	V
	$I_F$	$T_C=25$ $T_C=125$ $T_C=157$	79.5 41.5 20	A
	$I_{FRM}$	$T_C=25$ , $t_p=10ms$ Half Sine Wave $D=0.3$	100	A
	$I_{FSM}$	$T_C=25$ , $t_p=10ms$ Half Sine Wave	210	A
	$P_{TOT}$	$T_C=25$	288	W
		$T_C=110$	125	W
	$T_j$		-55 to 175	
	$T_{stg}$		-55 to 175	



1)

$IF=f(VF)$


$T_j$




2)



3)



4)



单位 : mm

SYMBOL	DIMENSIONS		
	MIN.	NOM.	MAX.
A	4.24	4.44	4.64
A1	0.00	0.10	0.25
b	0.70	0.80	0.90
b1	1.20	1.55	1.75
b2	1.20	1.45	1.70
c	0.40	0.50	0.60
c2	1.15	1.27	1.40
D	8.82	8.92	9.02
D1	6.86	7.65	---
E	9.96	10.16	10.36
E1	6.89	7.77	7.89

:

ISO9001 2015

2015 9 23

ISO9000

ISO 1987

ISO9001

ISO9001

ISO9001 2015

<http://www.globalpowertech.cn/CompVisualize.asp>

<https://globalpowertech.en.alibaba.com/>

<http://www.globalpowertech.cn/>

