
	IJ
	DCS V.≒ R
	DCS <
1	


b _Q K C ^Q Q .						
d _T	T .d	WK O:bQK CQ WK O:bQK ECQ		С	F B	d
W	Q	d KDC d.b _Q K CQ d KDC d.b _Q K ECQ		A D	E	0
_Q	b .Q Q	d KB d		ВС		Q
Q	b Q	d K d:.b _X K CQ:K [V d KC d:.b _X K CQ:K [V		FC A		К


R	DCS V	R	DCS V	b]	BE		Α
R	DCS V	R	DCS V	b]	BE		А

8 R DCS V .H Va.Q

双







$$V_{IH}(I) = -0001 \times (I) + 0950[V]$$

$$R_{DHF}(T_j) = AxT_j^2 + BxT_j + C[]$$


A= 682x10⁻⁷

 $B = 819 \times 10^{-5}$


 $C = 246 \times 10^{-2}$

[I] ['Q] -55°C IJ 175°C, IF 20A]

IJ




SYMBOL	MIN	NOM	MAX
А	4.80	5.00	5.20
A1	2.29	2.41	2.54
A2	1.90	2.00	2.10
b	1.10	1.20	1.30
b1	1.91	2.10	2.20
b2	2.92	3.10	3.20
С	0.50	0.60	0.70
D	20.80	21.07	21.34




双









PART ID : PDXXXXXXEX_G

LOT NO: XXXXXXXXXXXX

: XX,XXXX ea QTY



DATE: XXXX.XX.XX

刀

Z